

Index

- <-, *see* assignment symbol
- <<- , *see* super-assignment symbol
- interp1, 556
- lsodes, 540
- roots, 549

- absorptivity, 562, 566
- acidity
 - surface seawater, 552
- Acknowledgments, xix
- Adams Bashforth method, 97
- Adams Moulton method, 97
- advection equation, 228, 233, 234
- Air Mass, 562, 564
- air-ocean exchange, 544–546
- albedo, 560
- alkalinity (Alk), 543
- Allen–Cahn equation, 415
- a1phashape3d, 449
- ambient conditions, 480, 490, 491, 492
 - data, 481
- amplification factor, 265
- amplification ratio, 244
- angular momentum, 488
- ansatz, 8
- Antoine equation, 481
- assignment symbol, xvi
- atomic explosion, 508
 - fire ball, 518
 - photographic evidence, *see* time-lapsed photographs
 - photographs
 - systems analysis, 508
 - time-lapsed photographs, 508, 516, 531
 - distance scale, 508, 516
 - yield, 520
- avoirdupois system, 480
- $B(OH)_4^-$, tetrahydroxyborate, 548
- $B(OH)_3$, boric acid, 548
- Backau, the, 476
- basis
 - function, 380
- BDF method, 89
- BDFs, *see* Linear multistep methods, Backwards differentiation formulas
- Beer's Law, 562
- black body, 558
- Black-Scholes model, 10n7
- blending function, *see* basis function
- Boltzmann's constant, 558
- boron
 - dissociation constant, K_B , 548, 576
 - total, B_T , 548
- boundary condition, 103–105, 409
 - absorbed, 105
 - Dirichlet, 104, 120, 121, 122, 124, 130, 136, 141, 148, 150, 153, 170, 178, 185, 220, 221, 406, 409, 415, 419, 430, 435, 441, 443, 446
 - discontinuous with IC, 105
 - Neumann, 104, 122, 130, 136, 148, 150, 170, 217, 220, 221, 409
 - periodic, 104, 225, 233, 235, 236
 - Robin, 104
- Boussinesq equation, 468
- $CaCO_3$, calcium carbonate, 552
 - counter pump, 552
 - supersaturated, 553
 - under-saturated, 553
- calculus, 1
- Carbon Cycle, 539
- carbonate chemistry, 546–552
- carbonic acid
 - dissociation constants, K_{a1} and K_{a2} , 547, 577
- Cauchy problem, *see* initial value problem

608 Index

- Cauchy-Schwarz inequality, 227, 228, 244, 254, 600
- circulation, 476
- climate change, 539
- climate model, 539–571
 - acidity of surface seawater, 552
 - air-ocean exchange, 544
 - atmosphere, 542
 - carbonate chemistry, 546
 - climate sensitivity, 566
 - correlations—thermodynamic, 576
 - Earth's radiation balance, 557
 - emission profiles, 554–557
 - calculations, 554
 - fossil fuel emissions, *see* climate model, emission profiles
 - ocean circulation, 553
 - oceans, 543
 - ODEs, 542–544
 - parameter values, 539
 - piston velocity, 542, 545
 - radiation from the Earth, 560
 - radiation from the Sun, 557
 - sea-level rise, 570
 - simulation results, 571–574
 - atmosphere-seawater fluxes, 572
 - carbon build-up in surface seawater, 572
 - carbon build-up in the atmosphere, 571
 - deep ocean dissolved inorganic carbon concentration and pH, 573
 - Revelle factor, 574
 - seawater buffering, 574
 - seawater dissolved inorganic carbon distribution, 573
 - surface seawater dissolved inorganic carbon and pH, 573
 - surface temperature changes, 575
 - temperature anomaly, 575
 - uptake factor, 574
 - single layer radiation model, 565
 - example calculation, 566
- $\text{CO}_2(\text{aq})$, dissolved carbon dioxide, 547
- CO_3^{2-} , carbonate, 547
- collocation point, 384
- compressibility factor
 - air, 481
- conservation law, 107, 126, 161, 210, 287, 288, 289, 290, 292, 298, 302, 303, 304, 312, 316, 324, 325, 337, 457
- Boussinesq equation, 468
- conserved quantity, 458
- constant of motion, 458
- decay conditions, 458, 462, 464, 466, 468
 - at infinity, 457, 458
- density, the, 458
- energy, 457
- flux, the, 458
- infinity of, 461, 465
- invariant, 458
- KdV equation with variable coefficients, 464
- Korteweg–de Vries equation, 459
 - equations of motion, 463
 - first conservation law, u , 459
 - invariant, 463
 - second conservation law, u^2 , 459
 - third conservation law, $u^3 + \frac{1}{2}u_x^2$, 460
 - undefined KdV conservation law, 461
- Korteweg–de Vries equation: 2D, 463
- local conservation laws, 457
- mass, 457, 466, 468
- momentum, 457, 467, 468
- Nonlinear Schrödinger equation, 466
- conservation of energy, 483
- conservation of momentum, 483
- continuity equation, 511
- convection–diffusion equation, 236
- Coriolis force, 554
- corneal curvature, 129
- correlations—chemical equilibrium and dissociation constants, 576
- cross product, 478, 503
 - right hand rule, 479
- CSRBF, *see* radial basis function, compact support
- Dahlquist
 - first barrier theorem, 75
 - second barrier theorem, 75
 - test problem, 75
- DE, *see* differential equation
- deLaunayn, 449
- derivative, 1
 - analytical, 4
 - lookup table, 4
 - single-sided, 1
 - two-sided, 2
- derivative matrix coefficients, 211
 - first derivative schemes, 211
 - fourth derivative schemes, 216
 - second derivative schemes, 213
 - third derivative schemes, 215
- derivative matrix library, 217–221
- derivative options, 10
- deSolve, 70, 124, 411, 431
- determinant, 478
- deterministic process, 10
- difference operators, 602
- differential equation, 1
 - matrix form, 10
 - terms used to classify, 7
 - homogeneous, 7
 - linear, 7
 - nonhomogeneous, 7
 - order, 7
- differential operator
 - linear, 406

- differentiation and integration, 601
 - multi-index operation, 601
 - operations on vectors and matrices, 601
 - Taylor series, 601
- dimensional analysis, *see* similarity analysis
- dispersion, 267
 - errors, 269–277
- dispersion relation, 264
- dissipation, 266
 - errors, 269–277
- dissolved inorganic carbon (DIC), 543
- drag
 - coefficients, 479
- Earth's radiation balance, 557–571
- eigenvalues, 425
- electromagnetic spectrum, 559
- electrostatics problem, 446
 - charge density, 446
- elliptical domain, 446
- emissivity
 - effective, 560
 - surface, 558
- environment, xvi
 - hierarchy, xvi
- equation of state, 509, 511
- Euler equations, 230, 529
 - conservative form with source, 529
 - eigenvalues, 351
- Euler methods, 76
 - backward, 12
 - forward, 11
- false transients, method of, 130, 148, 150, 185
- fields, 441
- finite difference approximation
 - backward, 118
 - central, 118
 - forward, 118
- finite difference matrices, 115–123
- finite volume method, 207–210
 - 1D conservative system, 208
 - general conservation law, 210
- Fisher–Kolmogorov equation, 403, 418, 430
- Fisher–Kolmogorov–Petrovsky–Piscunov equation, *see* Fisher–Kolmogorov equation
- FK, *see* Fisher–Kolmogorov equation
- FKPP, *see* Fisher–Kolmogorov–Petrovsky–Piscunov equation
- Flettner rotor
 - the Backau, 476
 - the E-ship, 476
- Flettner, Anton, 476
- flow
 - laminar, 472
- flux limiter, 292–298
 - admissible limiter region, 295
- Euler equation problems
 - Sod's shock-tube, 317
 - Taylor–Sedov blast wave, 322
 - Woodward–Colella interacting blast wave, 319
- how they work, 293
- limiter functions
 - HCUS, 294
 - HQUICK, 294
 - Koren, 294
 - minmod, 294
 - monotonized central (MC), 294
 - Osher, 294
 - ospre, 294
 - smart, 294
 - superbee, 294
 - Sweby, 294
 - UMIST, 294
 - van Albada 1, 294
 - van Albada 2, 295
 - van Leer 1, 295
 - van Leer 2, 295
- scalar problems
 - advection, 305, 314
 - Buckley–Leverett equation, 309, 315
 - Burgers equation, 309, 315
- Sweby diagram, 295
- force
 - drag, 472
 - coefficient, 472, 475
 - friction drag, 472
 - pressure drag, 472
 - shear stress, 472
 - gravitational, 479
 - inertial, 472
 - Magnus, 476
 - lift, 476
 - Newton, 476
 - viscous, 472
- fossil fuel reserves, 555
- Fourier series, 380, 441
- Fourier transform, 227
 - pairs, 262
 - properties, 261
- Franke's function, 389, 452
 - defined, 452
- frequency spectrum, 243
- frontogenesis, 348, *see* partial differential equation
- fugacity, 547
- fully discrete methods, 194–207
 - backward in time central in space, BTCS—implicit, 195
 - Beam–Warming (B-W), 196
 - central in time central in space, CTCS or leapfrog, 124, 196
 - Crank–Nicholson, 196

610 Index

- fully discrete methods (*cont.*)
 - forward in time backward in space, FTBS, 194
 - forward in time backwards in space, FTBS—implicit, 194
 - forward in time central in space, FTCS, 195
 - Lax-Friedrichs (LxF), 196
 - Lax-Wendroff (LxW), 196
- gain factor, 244
- Gardner transformation, 462
- gas laws, 510
 - Rankine-Hugoniot conditions, 512
 - continuity, 512
 - energy, 512
 - momentum, 512
 - shock wave conditions, 514
 - useful relations, 512
 - calorically perfect gas, 512
 - density, 512
 - enthalpy, 512
 - ideal gas law, 512
 - internal energy, 512
 - Mach number, 513
 - ratio of specific heats, 512
 - specific heat, 512
 - specific volume, 512
 - speed of sound, 512
- gets*, xvi
- Godunov method, 288
- Godunov's order barrier theorem, *see* Godunov's theorem
- Godunov's theorem, 290
- golf ball
 - Balata, 480
 - coefficient of restitution, 483
 - compression, 483
 - construction, 480
 - drag effect at ground level, 497
 - moment of inertia, 488
 - size, 480
 - Surlyn, 480
 - weight, 480
 - wind tunnel tests, 477
- golf ball flight, 470–506
 - aerodynamic torque, 484
 - air speed, 474
 - ambient conditions, 480, 490, 491, 492, 493
 - angular momentum, 488, 503
 - back spin, 483
 - bounce and roll, 485
 - carry distance, 486
 - completing the mathematical description, 487
 - computer simulation, 489
 - driver shots, 490
 - iron shots, 491
 - wood shots, 491
 - conservation of energy, 483
 - conservation of momentum, 483
 - drag/lift test, 497
 - draw, 484
 - draw/fade/hook/slice, 495
 - fade, 484
 - gyroscopic effect of rotation, 475
 - hook, 484
 - inclined spin axis, 495
 - launch angle, 484
 - launch speed, 484, 486
 - lift, 476
 - peripheral speed, 474
 - push/pull, 495
 - shot statistics, 486
 - carry data, 489
 - compared to simulation, 489
 - PGA tour averages, 486
 - slice, 484
 - spin, 484
 - spin rate, 483
 - spin-rate decay, 484
 - trajectory problem, the, 488
 - velocity vector, 478
 - wind
 - atmospheric boundary layer, 498
 - effect of, 488, 492
 - mean velocity distribution, 498
- golf club
 - dynamic loft, 484
 - effective loft, 484
 - friction force, 484
 - launch data, 486
 - loft, 484
 - shaft flex, 484
 - strike force, 484
- golf course
 - St. Andrews Old Course, 470
- golf player
 - left-handed, 489
 - right-handed, 489
 - class, 486
 - professional
 - Justin Leonard, 486
 - Phil Michelson, 486
 - Tiger Woods, 486
 - Vijay Singh, 486
- gray body, 562
- greenhouse effect, 539
- group and phase velocities, 277–282
- H^+ , positive hydrogen ion, 547
- H_2CO_3 , carbonic acid, 547
- halt on, 452
- Halton sequence, 385, 387, 393, 452
 - low discrepancy, 452
 - quasi-random, 452
- HCO_3^- , bi-carbonate, 547
- heat equation, 229, 424
 - eigenvalues, 425

- Henry's constant, K_H , 545, 547, 577
- Henry's Law, 547
- high resolution scheme, 285
- hydroxyl dissociation constant, K_W , 549, 577

- image.plot, 441
- ImageMagick, 143
- initial condition, 409
- initial condition, IC, 103
- initial value problem, 603
- integration, 4
 - A -stable, 74
 - $A(\alpha)$ -stable, 74
 - analytical, 6
 - anti-derivative, 4
 - definite, 4
 - global order of accuracy, 74
 - indefinite, 4
 - look-up table, 7
 - numerical, 10
 - choosing method, 69
 - consistent scheme, 62
 - order of accuracy, 62
 - order of convergence, 62
 - TVD, 287
 - verification of order, 66
 - quadrature, 4
 - zero-stable, 75
- interpolation, 384–398
 - 1D example, 385
 - 2D example, 387
 - 3D example, 393
 - estimation points, 384
 - interpolation points, 384
 - polynomial precision, with, 397
 - scattered data, 384
 - multivariate, 397
- interpretation of results
 - truncation error, 211
 - validation, 211
 - verification, 210
- intervals
 - closed, 585
 - left-closed, right-open, 585
 - left-open, right-closed, 585
 - open, 585
- invariant, 126, 458, 460, 463
- irregular shaped domain, 446
- isentropic
 - exponent, 509
 - process, 509

- Kadomtsev–Petviashvili equation, 464
- KdV, *see* Korteweg–de Vries equation
- KdV equation with variable coefficients, 464
- Kirchoff's Law, 562
- Korteweg–de Vries equation, 123, 410, 459, 463
 - 2-soliton solution, 410
 - 3-soliton solution, 123
 - conservation law, 126
 - invariant, 126
- KP, *see* Kadomtsev–Petviashvili equation
- Kurganov and Tadmor semi-discrete scheme, 304
- Kutta-Joukowski theory, 476

- l'Hôpital's rule, 4
- Lagrange polynomial, 40
- Lambert function, 52
- Laplace equation, 434, 441
- Lax equivalence, 226, 603
- Lax-Richtmyer equivalence theorem, 603
- leapfrog, *see* fully discrete methods
- Leibnitz
 - Gottfried Wilhelm von, 1
- Lengyel-Epstein model, 226
- lift
 - coefficients, 479
- limit
 - l'Hôpital's rule, 4
- Linear multistep methods, 37–61, 87–101
 - Adams methods, 60, 97
 - Adams Bashforth, 60
 - Adams Basforth stability contours, 98
 - Adams Moulton, 61
 - Adams Moulton stability contours, 98
 - coefficients, 60*t*, 61*t*
 - Backwards differentiation formulas, 38, 89
 - 1st order, 38, 90
 - 2nd order, 39
 - 3rd order, 39
 - 4th order, 39, 91
 - 5th order, 39
 - coefficients, 38, 89, 90
 - coefficients derived from backward differences, 43
 - coefficients derived from Lagrange polynomials, 40
 - stability contours, 94
 - standard form, 38
 - consistency, 88
 - convergence, 46, 88
 - iteration starting values, 50
 - Levenberg-Marquardt method, 46
 - Newton's method, 46
 - Numerical differentiation formulas, 44, 95
 - 1st order, 45
 - 2nd order, 45
 - 3rd order, 45
 - 4th order, 45
 - 5th order, 45
 - coefficients, 45, 95
 - stability contours, 94
 - variable step size
 - combustion example, 51
 - nonlinear pendulum example, 56

612 Index

- Linear multistep methods (*cont.*)
 - region of absolute stability, 88
 - truncation error, 89
 - zero stability, 88
- Lipschitz condition, 604
- LMM's, *see* linear multistep methods
- local Lax-Friedrichs (LLF) flux, 304
- logarithm tables
 - antilogarithm, 518
 - over bar, 518
 - use of, 518
- long ton, 520
- lsodes, 411, 431
- LTE, *see* truncation error, local

- Magnus, Heinrich Gustav, 476
- Manhattan Engineer District (MED), 518
- Manhattan project, *see* Trinity project
- Maple, xix, 116, 335, 337, 352, 469, 511, 514, 531, 534
- mass action, 580
- matrices, 587–599
 - Cayley-Hamilton theorem, 598
 - circulant, 590
 - condition number, 600
 - determinant, 591
 - diagonal dominance, 594
 - diagonalization, 595
 - eigenvalues, 592
 - eigenvectors, 592
 - exponential, 596
 - Gershgorin's theorem, 594
 - Hankel, 589
 - inverse, 590
 - Jordan blocks, 597
 - Jordan canonical form, 598
 - persymmetric, 589
 - powers, 595
 - pseudoinverse, 593
 - singular value decomposition, 593
 - singular values, 592
 - spectral abscissa, 593
 - spectral radius, 593
 - symmetric, 589
 - toeplitz, 589
 - trace, 588
 - transpose, 589
 - useful properties, 591
- Matrix, 118, 419, 430
- matrix
 - condition number, 403
 - Euclidean norm, 404
 - factorize, 404
 - sparse, 118, 419, 430, 431
- matrix norms, 599
- MAUD, *see* Military Application of Uranium Detonation
- Maxima, xix, 116, 335, 337, 352, 469, 511, 514, 531, 534

- memory
 - conserving, 431
- meshfree, *see* meshless method
- meshless method, 380–455
 - Kansa, 406
- method of lines, 114–187, 408
 - 1D—Cartesian coordinates, 123
 - convection-diffusion-reaction equation, 134
 - corneal curvature, 129
 - Korteweg–de Vries (KDV) equation, 123
 - 2D—Cartesian coordinates, 141
 - diffusion equation, 141
 - frontogenesis, 169
 - Laplace equation, 148
 - Poisson equation, 149
 - rotation of a solid body, 153
 - wave equation, 161
 - 2D—polar coordinates, 175
 - diffusion equation, 178
 - Poisson equation, 185
 - wave equation, 186
- finite difference matrices, 115
 - coefficients, 211
- Military Application of Uranium Detonation committee, 508
- Miura transformation, 461
- modified KdV equation, 461
- modified PDEs, 282
- MOL, *see* method of lines
- molarity, 580
- momentum equation, 510
- monotone upstream-centered schemes for
 - conservation laws, 292, 298–324
 - high resolution, TVD discretization scheme, 302
 - Kurganov and Tadmor scheme, 303
 - local propagation speed, 304
 - linear reconstruction, 298
 - parabolic reconstruction, 312
- MUSCL, *see* monotone upstream-centered schemes for conservation laws

- NDF method, 95
- NDFs, *see* Linear multistep methods, Numerical differentiation formulas
- New Mexico, 508, 518
- Newton
 - Principia, 1
 - Sir Isaac, 1
- Newton's law of restitution, 483
- NLS, *see* Nonlinear Schrödinger (NLS) equation
- Nonlinear Schrödinger equation, 466
- number system
 - integer, 585
 - natural, 585
 - rational, 585
 - real, 585
- numerical integration
 - θ -method, 407

- lsodes, 124, 150, 179, 185, 411, 431
- explicit Euler, 406
- Runge–Kutta, fourth order, 411, 419, 424, 426, 430
- SHK, fourth order, 415
- weighted average, 407
- object.size, 431
- ocean circulation, 553–554
- ocean layers, 554
- ODE, *see* ordinary differential equation
- OH^- , hydroxide ion, 549
- optical thickness, 563
- ordinary differential equation, 8
 - solution
 - general, 8
 - homogeneous part, 8
 - nonhomogeneous part, 8
 - particular, 8
- organic carbon pump, 552
- Painlevé integrable condition, 465
- PAL, *see* preindustrial activity level
- Parseval’s theorem, 244, 253, 255, 261
- partial differential equation, 8
 - advection, 228, 233, 234
 - advective-diffusion, 381
 - Allen-Cahn, 415
 - basics, some, 102
 - boundary condition, 409
 - classification, 107
 - conservation law, 107, 126, 161, 210, 287, 288, 289, 290, 292, 298, 302, 303, 304, 312, 316, 324, 325, 337
 - consistent scheme, 226
 - convection–diffusion, 236
 - convection-diffusion-reaction, 134
 - diffusion, 102, 108, 109, 130, 134, 141, 148, 150, 178, 185
 - diffusion equation, 8
 - discretization, 109
 - Courant-Friedrichs-Lewy number, Co, 112
 - finite difference terminology, 109
 - mesh, the, 111
 - non-uniform grid spacing, 112
 - stencil, the, 112
 - upwinding, 113
 - dispersion, 267
 - dissipation, 266
 - elliptic, 107, 108, 148, 149, 185
 - Euler, 230
 - Fisher–Kolmogorov, 403, 418, 430
 - frontogenesis, 169
 - general system, 106
 - group and phase velocities, 277–282
 - harmonic function, 148
 - heat, 229
 - heat equation, 424
 - hyperbolic, 107, 108, 113, 194–207
 - hyperbolic-parabolic, 108, 114, 220
 - initial and boundary conditions, 103–105
 - initial condition, 409
 - invariant, 126
 - Laplace, 108, 146*t*, 148, 434, 441
 - Lengyel-Epstein, 226
 - modified, 282
 - parabolic, 107, 108, 130, 141, 148
 - Poisson, 109, 146*t*, 149, 151, 185, 442, 446
 - reaction-diffusion, 415
 - stability
 - fully-discrete systems, 243–253
 - matrix method, 231–242
 - semi-discrete systems, 231, 253–260
 - unstructured grids, 260
 - von Neumann method, 242–260
 - subscript notation, 105
 - time-dependent, 410
 - time-independent, 434
 - types of solution, 105
 - wave equation, 186
 - well posed problem, the, 226
- partial pressure, 546
- particulate organic carbon (POC), 543
- PDE, *see* partial differential equation
- Péclet number, 237
- persp3d, xx, 441
- pH, 552
- Plank’s constant, 558
- plot3D
 - 3D slice, 393
 - iso-surface contours, 395
- point detonation, 531
- Poisson equation, 442, 446
- potential of hydrogen, *see* pH
- pracma, 534
- preindustrial activity level (PAL), 542
- projectile
 - form drag, 473
 - frictional drag, 473
 - induced drag, 473
 - liftinduced drag, 473
- quad, 534
- radial basis function, 381
 - centers, 384
 - compact support, 380, 382, 431
 - positive definite examples, 455
 - Wendland, 383, 455
 - cutoff function, 383
 - differential operator
 - linear, 406
 - differentiation, 398
 - example 1D, 399
 - Laplacian, 398
 - mixed partials, 398

614 Index

- radial basis function (*cont.*)
 - differentiation matrix, 399
 - algorithm, 406
 - Euclidean distance, 384
 - evaluation points, 384
 - global support, 382
 - positive definite examples, 454
 - interpolation
 - 1D example, 385
 - 2D example, 387
 - 3D example, 393
 - polynomial precision, with, 397
 - scattered data, 384
 - inverse multiquadratic, 435, 443, 449
 - irregular shaped domain, 446
 - local RBFs, 380, 401, 419
 - allocating stencil nodes, 403
 - stencil, 402
 - method of lines, 408
 - multiquadratic, 381, 382, 387, 393, 415, 424, 430, 435, 441, 443, 449
 - first derivative, 400
 - third derivative, 411
 - nodes
 - exterior, 407
 - interior, 407
 - partial differential equation, 406–451
 - Allen-Cahn, 415
 - Fisher-Kolmogorov, 403, 418, 430
 - heat equation, 424
 - Korteweg-de Vries, 410
 - Laplace, 434, 441
 - Poisson, 442, 446
 - time dependent, 410
 - time-independent, 434
 - PDEs with nonlinear terms, 408
 - linearization, 408
 - positive definite RBFs, 382
 - shape parameter, 381
 - choosing value, 404
 - trial and error, 386
 - stability, 410, 425
 - support, 382
 - support radius, 383
 - trial function, 381
 - Wendland, 435
- radial symmetry, 380
- radially invariant, *see* radial symmetry
- radiation
 - emittance, 558
 - energy spectrum density, 558
 - exchange area, 559
 - exitance, 558
 - flux, 558
 - frequency, 558
 - inverse-square-law, 559
 - Planck's equation, 558
 - power, 558
 - solar, 557
 - spectrum data, 559
 - terrestrial, 560
 - view factor, 559
 - wavelength, 558
- radiative forcing, 566
 - carbon dioxide, due to, 569
- RAM, 431
- Rankine-Hugoniot conditions, 317, 512
- RBFs, *see* radial basis function
- reflectivity, 562, 566
- residence time, 579
- restitution
 - coefficient of, 483
 - Newton's law of, 483
- Revelle factor, 577
- Reynold's number, 473
- rgl, xx, 441, 449, 499
- Riemann, 4
 - Georg Friedrich Bernhard, 4
 - Riemann sum, 4
 - center, 5
 - left, 5
 - right, 5
- Riemann problem, 285
- RKF, *see* Runge-Kutta, Fehlberg
- rm, 431
- RSEIS, 499
- RStudio, xvi
- rSymPy, xv
- rSymPy, 32, 52
 - installation, 71
- Runge-Kutta, 12–37, 76
 - 1st order, 15
 - 2nd order, 15
 - 3rd order, 16
 - 4th order, 13, 16
 - Bogacki-Shampine, order 2/3, 26*t*
 - Butcher tableau, 13
 - modified for local error estimate, 26*t*
 - Cash-Karp, order 5/4, 31
 - consistency conditions, 14
 - Dormand-Prince, order 5/4, 29
 - Dormand-Prince, order 8/7, 33
 - embedded solutions, 21
 - Fehlberg, order 4/5, 26
 - general form, 13
 - order conditions, 14
 - Sommeijer, van der Houwen, and Kok method, 36
 - stability
 - 1st order, 76
 - 2nd order, 79
 - 4th order, 80
 - contours, 77, 85, 426
 - Fehlberg, RKF54, 83
 - region of absolute, 76
 - Sommeijer, van der Houwen, and Kok (SHK), 85

- variable step size methods, 19
 - example, 31
 - Richardson extrapolation, 19
- Rusanov flux, 304
- Ryacas, xv, 84
- rSymPy, 84
- Ryacas, 32, 52
 - installation, 70
- S3 class, 402
- S4 class, 402
- Schmidt number, 545
- sea level
 - global mean sea-level (GMSL), 571
- Sedov, Leonid Ivanovitch, 508
- semi-discrete scheme, *see* method of lines
- SHK, *see* Runge–Kutta–Sommeijer, van der Houwen, and Kok method, *see* Runge–Kutta
- shock tube, 512
 - moving piston, 512
- similarity analysis, 530
- singular value decomposition, 403, 404
- slope limiter, 293
- solar constant, 560n8
- solar irradiance, 560n8
- soliton, 123, 410
 - 2-soliton solution, 410
 - 3-soliton solution, 123
 - breather, 123
 - compacton, 123
 - hump, 123
 - kink, 123
 - peakon, 123
- sparse matrix, 118
- sparseMatrix, 419, 430
- spectral radius, 244, 250
- splinefun, 503
- stability, 602
 - fully discrete method
 - Beam-Warming (BW), 250
 - Crank-Nicholson, 252
 - CTCS, leapfrog, 249
 - FTBS, 245
 - FTBS, implicit, 248
 - FTCS, 248
 - FTCS, Implicit, 248
 - Lax–Friedrichs (LxF), 251
 - Lax–Wendroff (LxW), 251
 - Lax–Wendroff (LxW), 2D, 251
 - matrix method, 231–242
 - radial basis function, 410
 - region of, 244
 - semi-discrete method
 - first order upwind, 1D, 256
 - first order upwind, 2D, 259
 - second order upwind, 1D, 258
 - unstructured grids, 260
 - von Neumann method, 242–260
- Stefan-Boltzmann
 - constant, 558
 - law, 558
- STEM, 1
- step-by-step, *see* numerical integration
- stiffness, 69
- stochastic process, 10
- Stokes law, 472
- super-assignment symbol, xvi
- supernova, 508
- SVD, *see* singular value decomposition
- symmetry
 - cylindrical, 509, 530
 - planar, 509, 530
 - spherical, 509, 530
- Tait, F. G., 470
- Tait, P. G., 470
- Taylor series, 11
- Taylor, Sir Geoffrey Ingram, 508
- Taylor-Sedov blast wave, 508–537
 - additional complexity, 537
 - analytical solution, 531
 - closed form solution, 533
 - internal energy, 534
 - kinetic energy, 534
 - total energy, 534
 - density, 509
 - energy, 515
 - heat, 515
 - kinetic, 515
 - total, 515
 - pressure, 509
 - radius, 509
 - shock wave, 510, 514
 - boundary, 514
 - conditions, 514
 - strong shock conditions, 514
 - velocity, 509
- TDV, *see* total variation diminishing
- temperature
 - effective global, 560
 - globally averaged, 560
- temperature anomaly, 569
- thermohaline, 554
- Thompson, J. J., 470
- time constant, 579
- TNT, 520
- top of atmosphere, TOA, 559
- total energy, 510
- total variation diminishing, 286
 - Godunov's theorem, 287
 - monotonicity preserving, 287
 - numerical integration, 287–288
 - 2nd order Runge–Kutta, 288
 - 3rd order Runge–Kutta, 288
 - general Runge–Kutta method, 287
- transmittivity, 562, 566

616 Index

- Trinity
 - project, 508, 518
 - site, 508, 518
 - conditions, 518
 - truncation error, 61–65
 - LMM, 62
 - BDF, 63
 - NDF, 65
 - local, 61
 - order, 62
 - uptake factor, 577
 - upwelling and downwelling, 554
 - variable separable method, 555
 - vcKdV, *see* KdV equation with variable coefficients
 - vector norms, 599
 - vector product, 478
 - vectors
 - cross product, 586
 - dot product, 586
 - outer product, 586
 - von Neumann
 - method, 242–260
 - von Neumann, John, 508
 - wave equation, 186
 - wavenumber, 242–243
 - spectrum, 243
 - weighted essentially non-oscillatory method, 324–350
 - 2D problems
 - frontogenesis, 348
 - rotation of a solid-body, 347
 - alternative sub-stencil reconstruction, 332
 - Euler equation problems
 - Sod's shock tube, 344
 - Taylor-Sedov blast wave, 346
 - Woodward-Colella interacting blast wave, 345
 - finite volume
 - implementation, 337
 - flux splitting, 337, 339
 - polynomial coefficients, 327
 - polynomial reconstruction
 - finite difference, 331
 - finite volume, 325
 - reconstructed edge values, 339
 - scalar problems
 - advection of composite waveform, 342
 - advection of step and cosine pulses, 342
 - smoothness indicators, 336
 - coefficients, 336
 - stencil weights, 338
 - sub-polynomials, 338
 - weights, 335
 - WENO construction, 331
- well-posed, 603
 - WENO, *see* weighted essentially non-oscillatory method
 - Wien's displacement law, 558
 - wind
 - atmospheric boundary layer, 499
 - mean velocity distribution, 499
 - wxMaxima, xix
 - xprod, 503