

## Index

- Accuracy-stability tradeoff, 9–10
- Advection equation, 5
  - analytical solution, 10
  - nonlinear, 94
- AMR, 289
- Analytical solution 3, 15, 19, 37, 51, 58, 70–71, 94, 115, 127–128, 142, 146–147, 155, 172, 230, 262, 292, 301
  - derivation, 68–69, 227, 414–419
  - from Green's function, 38
  - to define boundary condition, 105, 108
  - to define initial condition, 104, 108
  - verification, 68
- Animation, 445–468
  - GIF files, 458–468
- Anisotropic diffusion equation, 292
  - see also* diffusion equation
- Approximate solution, 3, 51
  - accuracy, 3
- Arrhenius temperature dependency, 309
- Auxiliary condition, 2
- AVI movies, 445–468
  
- Benjamin-Bona-Mahony equation, 418
- Bidiagonal equations, 9
- Body-fitted coordinates, 14
- Boundary condition, 2, 4
  - see also* Dirichlet boundary condition, Neumann boundary condition
  - consistency with initial condition, 37
  - example, 2
  - in various coordinate systems, 14
  - nonlinear, 71, 289
  - number required, 2, 4, 443
  - Robin, *see* Robin boundary condition
  - third type, 3, 71, 262, 273, 329
  - time-varying, 420–440
    - algebraic, 425, 439
    - differential equation, 425, 437–439
- Bose-Einstein condensates, 137
- Boundary-value problem, 229, 261
- Boundary-value variable, 1, 70
  - interval, 2
  - solution domain, 37
- Burgers equation, 94
  - analytical solution, 94, 97, 106–107
  - animation, 448–451
  - error in numerical solution, 100–102
  - front sharpening, 95, 99, 108–109
  
- Cartesian coordinates, 4, 91, 94, 205, 382–387
- CFL number, 9
- Color plate, 460, 464, 467
- Computational fluid dynamics, 197
- Computer algebra system, 419
- Conservation PDE, 90–91
- Conservation principles, 35
- Constitutive equations, 204
- Constraint, 38, 51, 64, 120, 128–130
- Continuation, 259, 289
  - embedded parameter, 259, 289
- Continuity equation, *see* mass conservation
- Convection-diffusion equation, 6, 396
- Convection-diffusion-reaction equation, 6, 307–308, 339
- Coordinate systems, 13
  - choice, 14
- Coupling matrix, 295, 297
- Courant-Friedricks-Lewy (CFL) condition, 9
- Cross product, 384
- CSE, *see* Schrödinger equation
- Cubic Schrödinger equation, *see* Schrödinger equation
- Curl vector operator, 203–205

## 470 Index

- Cylindrical coordinates, 4, 11, 306–309, 325–331, 397–391  
singularity, 328
- DAE (differential-algebraic equations), 11–12, 304  
index, 304  
integration routines, 16
- d'Alembert solution, *see* wave equation
- DASSL, 16
- DeBroglie, 136, 138
- Del vector operator, 91, 204  
applied to a scalar, 91, 343, 383, 389–391, 394–396  
applied to a tensor, 92  
applied to a vector, 91, 203–205, 343, 383, 389–391, 394–396  
as coordinate free operator, 91
- Dependent variable, 1
- Differential-algebraic equations, *see* DAE
- Diffusion equation, 2, 18, 36, 342, 420  
analytical solution, 15, 18, 37  
anisotropic, 292  
Cartesian coordinates, 292, 382–387  
cylindrical coordinates, 387–391  
spherical coordinates, 292, 391–396
- Diffusivity, 2, 307  
Cartesian coordinate tensor, 385  
constant, 385–387  
cylindrical coordinate tensor, 389  
constant 390–391  
spherical coordinate tensor, 394  
constant, 395–396
- Dirac delta function, 36–37, 43–44  
numerical approximation, 41–44, 51  
properties, 37
- Dirichlet boundary condition, 3, 11, 14, 18, 27, 29, 33–34, 53–55, 58, 105, 262, 410–412, 443  
time-varying, 420–440  
algebraic, 425, 439  
differential equation, 425, 437–439
- Discontinuities, 5, 93, 99, 218, 275
- Dispersion, 414
- DSS routines, 398  
applied to  
exponentials, 406–410, 413  
polynomials, 399–401, 410–412, 413  
boundary effects, 404–405  
*see also* FD, order  
library, 441–445  
stencil, 441–442
- dss002, dss004, dss006, dss008, dss010, 15, 30, 54–55, 80, 82, 105, 107, 131, 158, 160, 198–199, 266, 357–358, 399–401, 407–410, 433–434, 438, 443–444  
applied in two-dimensions, 236, 247, 250–251, 333–338, 373–379  
applied in three-dimensions, 266, 276–277, 279–281
- dss042, dss044, dss046, dss048, dss050, 32, 59, 132, 134, 200, 209, 220, 224, 410–413, 435, 439  
applied in two dimensions, 236, 254–255, 257, 333–338  
applied in three-dimensions, 284–286  
boundary condition specification, 33–34, 59, 412–413
- Divergence free, 92
- Dyadic product, 384
- Elliptic PDE, 6, 229, 261  
analytical solution, 230, 262  
equilibrium condition, 230, 262  
error in numerical solution, 237, 244–245, 267, 274, 283, 288  
pseudo initial condition, 230, 262  
two-dimensional, 229  
three-dimensional, 261  
with mixed derivative, 291
- Energy, 138  
kinetic, 138  
potential, 138  
total, 138
- Energy conservation, 90–91, 137–138, 143–144, 147–148, 152, 155–158, 164, 306, 308, 340–341
- Enthalpy, 308
- Internal energy, 308
- Equal-width PDE, 417
- Error accumulation, 99
- Error control, 14, 23–24, 31, 34
- Euler equations, 91, 93, 197
- Euler method, 8  
explicit, 8–9  
stability, 9  
implicit, 9  
stability, 9
- Eulerian frame, 181
- Exothermic reaction, 308, 321–323, 340
- FD (finite difference)  
backward, 9  
boundary effects, 404–405  
effect of discontinuities, 181, 275  
effect on Jacobian bandwidth, 219  
errors, 401–409  
explicit programming, 27, 52, 429–430, 436  
forward, 8  
library routines, 28–30, 32  
mixed derivative approximation, 297, 443  
noncentered, 10, 52  
one-sided, 10  
order, 8, 11, 30, 32, 84, 89, 113, 398–413  
principal error term, 401–405  
stencil, 441–442  
third derivative approximation, 159, 166–167  
truncation error, 8, 406, 410

- two-dimensional, 236, 239, 247–248, 312–314, 316–317, 325–338, 373–379
- three-dimensional, 266–268, 271–273, 276–277
- Fictitious point, 12, 28, 273, 328, 330
- Fick's first law, 307, 340, 350
- Fick's second law, 2
- Finite difference, *see* FD
- Finite elements, 13, 303
- Finite volumes, 13
- Flux limiter, 11, 181
- Fourier's first law, 309, 341
- Fourier's second law, 2
- Fourier transform, 15, 172
- Front sharpening, 95, 99, 108–110
  
- Galerkin methods, 13
- Gaussian function, 348, 372
- General PDE system, 4
- Geometric classification, 5–6, 260, 290
  - mixed classification, 6, 71, 205, 260, 290
- Gibbs' phenomenon, 181
- GIF files, 445
  - animated 458–468
- Godunov order barrier theorem, 10–11
- Green fluorescent protein (GFP), 342
- Green's function, 15, 37–38, 66–67
  - error in numerical solution, 48–50, 56, 60–64
  - finite domain, 66
  - infinite domain, 66
  
- Hamiltonian, 138
  - conservation of energy, 138
  - equations of motion, 138
- Heat conduction equation, 2, 18, 36, 230
  - analytical solution, 15, 18, 37
  - two-dimensional, 230
- Heaviside unit step function, 10, 348, 364
- Helmholtz equation, 259
- High-resolution methods, 11, 196
- h-refinement, 14, 58, 90, 110–112, 234, 287, 339, 413
- Hyperbolic PDE, 4, 5
  - constant coefficient, 5
  - discontinuity propagation, 5
  - first-order, 5, 93
  - Maxwell's equations *see* Maxwell's equations
  - mixed hyperbolic-parabolic, 6, 260, 290, 308, 332–339, 396
  - second-order, 5
  - wave equation, 5
  
- Incompressible fluid, 92
- Independent variable, 1
  - boundary-value variable, 1–2
  - derivatives, 6
  - in MOL, 6
  - initial-value variable, 1–2
  - in MOL 6
  
- Indeterminate form, 328, 337, 359, 378
- Inhomogeneous PDE, 6, 70, 344–345, 364
- Initial condition 2, 4
  - consistency with boundary conditions, 37, 218, 233, 264
  - delta function, 36
  - example, 2, 15
  - number required, 2, 4, 443
  - in MOL, 7
- Initial-value variable, 1, 70
  - in elliptic PDE, 6
  - interval, 2, 21
- Invariants, 38, 51, 56, 120, 128–130, 164, 349, 351, 355–356
- Irregular geometry, 14
- Integral constraint, *see* constraint
- Integral invariant, *see* invariant
- Inviscid Burgers equation, 94
  
- Jacobian matrix, 9
  - banded, 12, 161, 218
  - bandwidth, 161, 163, 218
  - outliers, 163
  - out-of-band elements, 163
  - in stiff integration, 163
  - map, 160–161, 218–219
  - nonzero and zero elements, 161
  - routine `jpatternnum`, 161–162, 167–168
  - sparse, 9, 12, 116, 118, 143, 146, 163, 215
  
- KdVE (Korteweg–deVries equation), 141, 443
  - analytical solution, 142, 146–147, 155
  - animation, 448, 454–458
  - derivation, 168–169
  - error in numerical solution, 148–152
  - invariants, 143–144, 147–148, 152, 155–158
  - soliton solutions, 145, 153
  - sparse matrix solution, 143
  - third derivative approximation, 159, 166–167
  - traveling wave solution, 142, 417
  - two-soliton case, 164–165
    - interaction of solitons, 166
- Kerr media, 137
- Kinematic viscosity, 94, 97, 110–111
  - effect on solution, 110–111
- Korteweg–deVries equation, *see* KdVE
  
- Lagrangian frame, 168, 180
- Laplace's equation, 6, 229
  - analytical solution, 230
  - animation, 458–461
  - error in numerical solution, 244–245, 251–252
  - related parabolic PDE, 230
- Laplacian operator, 13, 94, 205, 343
  - Cartesian coordinates, 205, 360–361, 377
  - cylindrical coordinates, 389
  - spherical coordinates, 343, 360–361, 377, 394
- Least square methods, 13

## 472 Index

- l'Hospital's rule, 328, 359, 378
- Library integrators, 13, 16
- Linearity, 2, 5, 11, 205, 414
- Linear wave equation, *see* wave equation  
*see also* Maxwell's equations
- LSODE, 16
- Mass conservation, 90–91, 143–144, 147–148, 152, 155–158, 164, 306–308, 340, 349, 351
  - application to fluid mechanics, 91
  - Cartesian coordinates, 382–387
  - cylindrical coordinates, 387–391
  - spherical coordinates, 391–396
- Mass diffusivity, 2
- Mass matrix, 295, 297
- Matlab
  - animation, *see* Animation
  - code, 19–20
  - functions, 26
  - global variables, 21
  - `interp2` function, 463
  - matrix inverse operator, 299, 303
  - `movie`, `moviein` functions, 446
  - ODE integrator `ode15s`, 21, 75, 116, 118, 146, 201, 236, 317, 338, 348–349, 423, 427
    - sparse matrix option, 116, 118, 146, 161–162
  - ODE integrator `ode45`, 119, 146, 296, 299
  - ODE routine, 22, 26, 29, 31, 43, 51–53, 58, 79–81
    - requirements, 27–28, 83, 119, 243, 269
  - `reshape` function, 234, 237, 240, 243, 249, 253–256, 258, 266, 317
  - `slice` function, 459
  - `surf` function, 236–237, 243
  - `surf1` function, 445
  - two-dimensional plotting, 23, 45, 57, 65, 77, 87, 103, 108, 124, 144–145, 152, 176, 179, 189, 193, 196, 220, 297, 303, 318–319, 322, 356, 372–373, 432, 450
  - three-dimensional plotting, 25, 45, 66, 77, 88, 109–110, 136–137, 165, 221, 237, 246–247, 304–305, 324, 432
  - vectorized code, 160, 299, 335–336
- Maxwell's equations, 203–204
  - constitutive equations, 204
  - dependent variables, 204
  - differential form, 203–205
  - effect of resistance, 218
  - Ohm's law, 204–205
  - parameters, 204
  - speed of light, 228
  - time-dependent, 203–205
  - velocity of waves, 228
- Method of characteristics, 180
  - linear, 181
- Method of lines, *see* MOL
- Mixed partial derivative PDE, 291–292, 297, 417–419, 443
  - Calogero equation, 292
  - error in numerical solution, 301–302
  - FD approximation, 297
  - Monge-Ampere equation, 292
  - sine-Gordon equation, 291
  - sinh-Gordon equation, 291
  - 2D Khokhlov-Zabolotskaya equation, 292
- MOL (method of lines)
  - applicability, 6, 260
  - availability of related variables, 136
  - cylindrical coordinates, 325–332
  - introduction, 1, 6–10
  - origin of name, 14–15, 25
  - pseudo-characteristic, 181
  - similarity to PDE, 30, 159, 243, 337
  - spherical coordinates, 357–359, 361–363
  - two-dimensional PDE, 236, 239, 247–248, 312–314, 361–367
  - three-dimensional PDE, 265, 267–268, 270
- Momentum conservation, 90–91, 94, 143–144, 147–148, 152, 155–158, 164
  - application to fluid mechanics, 91
- Navier Stokes equations, 94
- Neumann boundary condition, 3, 14, 18, 27, 30, 33–34, 107–108, 262, 430, 443
- Newtonian viscosity, 94
- Newton's method, 9
- Nonisothermal system, 308
- Nonlinear advection equation, 94
- Nonlinearity, 9, 67–68, 70–71, 93, 115, 137, 289, 308–309, 414
  - FD approximations, 67–68
- Nonstiff ODE integration, 23, 118
  - computational efficiency, 118, 125, 163
- Numerical diffusion, 9–10
- Numerical integration, 8–10
  - error tolerances, 23–24, 31, 34
  - Euler method, 8
  - explicit, 8
  - implicit, 9
  - library routines, 13
  - stability, 8
    - Courant-Friedricks-Lewy (CFL) condition, 9
- Numerical oscillation, 9–10, 56
- Numerical quadrature, 44
- Numerical solution, 3
- Ocean waves, 137
- ODE (ordinary differential equation), 2
  - from MOL, 6
  - implicit, 297–298
    - in matrix form, 298
  - numerical integration, 8–10
    - error tolerances, 23
    - explicit, 8
    - simultaneous, 7

- ode15s, 21, 42, 113, 125, 266
  - error tolerances, 23, 31, 34, 42
  - stiff and nonstiff options, 23, 113
- ode45, 118, 125
- Ordinary differential equation, *see* ODE
- Orthogonal coordinate free operator, 91
  
- Parabolic PDE, 5, 11
  - two-dimensional, 229
  - three-dimensional, 261
- Partial derivative, 2
  - order, 2
  - subscript notation, 3–4, 18, 36, 70, 114, 292
- Partial differential equation, *see* PDE
- Partial fractions, 415
- PDE (partial differential equation)
  - analytical solution, 3
  - animation of solutions, 445–468
  - approximate solution, 3
  - basic concepts, 1–3
  - Cartesian coordinates, *see* Cartesian coordinates
  - cylindrical coordinates, *see* cylindrical coordinates
  - degree, 2
  - derivation, 307–309, 339–340
    - units check, 310, 339–340
    - Cartesian coordinates, 382–387
    - cylindrical coordinates, 387–391
    - spherical coordinates, 391–396
  - dispersion, 414
  - example, 1
  - general system, 4
  - geometric classification, 5–6, 260, 290
  - higher dimensional, 13
  - inhomogeneous, 6, 70–71
  - linearity, 2
  - multidimensional vector, 90–91
  - numerical solution, 3
  - simultaneous, 4, 70, 339–340
  - solution, 3
  - spherical coordinates, *see* spherical coordinates
  - stability, 304
  - systems, 4, 339–340
  - traveling wave solution, 115
  - well-posed problem, 2–3
- Planck's constant, 136, 138
- Planck-Einstein relation, 138
- Poisson equation, 259
- Probability density, 139–140
- Procedural programming, 160
- Protein diffusion, 342
- p-refinement, 14, 58, 110–111, 113, 216–217, 234, 287, 413
- Pseudo transients, 230, 259, 261, 289
  - selection of initial condition, 230
  
- Quadrature, 44
  - see also* Simpson's rule
- Quantum mechanics, 139–140
  
- Riemann problem, 10, 196–197
- Robin boundary condition, 3, 71, 262, 273
  - see also*, boundary condition, third type
- r-refinement, 289
  
- Schrödinger equation, 114, 137, 139
  - absolute value of dependent variable, 115
  - animation, 448, 451–454
  - complex dependent variable, 114–115, 118, 132
  - cubic nonlinearity, 137
  - error in numerical solution, 121–123
  - invariants, 119, 128–132
  - soliton solution, 124, 137
  - traveling wave solution, 115, 119–120, 126–128
- Scott-Russell, John, 169
- Second order derivative in  $t$ , *see* wave equation
- Separation of variables, 140, 172
- Shock, 99, 196–197
- Simpson's rule, 44, 69, 120, 128–132, 147, 152, 155–158, 338, 349, 360
- Simultaneous PDEs, 4, 70–71, 79–83, 306, 333–337
  - error in numerical solution, 84–87
- Singularities, 13–14, 328, 345, 360
- Solitary wave, *see* soliton
- Soliton, 124, 137, 145, 153, 417
  - definition, 137
  - interaction, 166
  - see also* traveling wave solution
- Solution invariants, 38, 51, 56
- Spacetime, 1
- Sparse matrix integration, 146, 209, 211, 266
  - see also* Jacobian matrix
  - efficiency, 161, 218, 266
  - routine `jpattnum`, 162, 167–168, 211, 224–226
- Spatial convergence, 24, 31, 68, 90, 226, 339
- Spatial variable, *see* boundary value variable
- Special case checks, 34–35
- Specific heat, 308
- Spectral methods, 13
- Spherical coordinates, 13, 344, 391–396
  - angular terms, 360–361, 367–371
  - animation, 461–468
  - relation to Cartesian coordinates, 344, 464
  - singularities, 345, 359–361
- Stability-accuracy tradeoff, 9–10
- Stability of integration, 8
  - Courant-Friedricks-Lewy (CFL) condition, 9
  - explicit, 9, 11
  - implicit, 9
- Stagewise differentiation, 30, 57, 82–83, 105–106, 159, 163, 236, 250, 267, 279, 303, 358, 434, 444
  - applied to mixed derivatives, 303, 443
  - failure, 57, 67

**474 Index**

- Steep moving front, 95, 97  
 Stencil, *see* FD stencil  
 Stiff ODE integration, 23, 43, 118  
     computational efficiency, 118, 125, 163  
 Subscript notation, *see* partial derivative  
 SUNDIALS, 16  
 Superposition of PDE solutions, 38  
     *see also* Green's function  
 Surface plots, 236  
 Systems of PDEs, 4
- Taylor series, 8, 406  
 Tensor, 92  
     multiplication, 384  
     order, 384  
     second order, 92, 384  
 Thermal diffusivity, 2, 36, 309  
 Third type boundary condition, 3  
 Thomas' method, 12  
 Time-varying boundary condition  
     *see* Boundary condition, time-varying  
 Total variation diminishing methods, 11  
 Traveling wave solution, 115, 119–120, 126, 128,  
     142, 180, 195, 414–419  
 Tridiagonal equations, 12  
     Thomas' method, 12  
 Truncation error, 8, 406, 410  
     local, 14  
 Two-dimensional PDE, 229–235  
     elliptic, 229  
     parabolic, 229  
     finite differences, 236, 239
- Unit step function, 10  
 Unit vectors, 385
- Upwind (upstream) FD approximation, 8, 10,  
     331–332  
     accuracy, 9–10
- Variable coefficients, 70–71  
     cylindrical coordinates, 328  
     spherical coordinates, 345, 359  
 Vector dot product, 204–205, 384  
 Vectorized code, 160  
 VODE, 16
- Wave equation, 5, 171  
     *see also* Maxwell's equations  
     characteristics, 180, 195  
     d'Alembert's solution, 172, 183, 186–187  
     effect of discontinuity, 181, 187  
     effect of damping, 218  
     Gaussian pulse initial condition, 192–193  
         error in numerical solution, 194–195  
     MOL/ODE routines, 197–201  
     programming for second order  $t$  derivative,  
         175–176, 182–183, 205, 208–209, 222–225  
     propagation velocity, 171, 228  
     pulse initial condition, 177–185  
         error in numerical solution, 177–178  
     sine pulse initial condition, 190  
         error in numerical solution, 191–192  
     smoothness of solution, 181, 187, 190,  
         196  
     triangular pulse initial condition, 186–187  
         error in numerical solution, 188–189  
     with damping, 205, 218, 228  
 Wave function, 137–138  
 Weighted essentially nonoscillatory (WENO)  
     method, 11, 181