



Index

A

Adaptive grid, 160
Adaptive mesh refinement (AMR), 160
Advection equation, xii, 7
 analytical solution, 8, 11–12
 routine, 19, 30, 34
 discontinuity, 20, 22, 26, 29
 flux limiter solution, 25–26
 initial condition routine, 18, 20
 linear, 7
 main program, 9–10
 ODE routine, 15–16
 numerical solution, 11–12, 23–24, 33–38
Analytical solution *see also*
 specific PDEs
 discontinuity, 20
 Maple, *see* specific PDEs
 PDE, 1
 routine, 19
 smoothness, 5, 7, 20, 35
 verification, 4, 48, 58, 261–262, 309
Antipeakon, 305
Arbitrary constants method, 435

B

Backlund transformation, 436
Benjamin–Bona–Mahony (BBM) equation, 254
Bernoulli equation
see Extended Bernoulli equation
Boundary conditions, 1, 5
 Dirichlet, 49, 60, 67, 70–71
 general, 85
 homogeneous, 70
 infinite domain, 19, 245, 263, 353, 380
 insulated, 104
 Neumann, 67
 analytical, 86, 101
 nonlinear, 67, 84, 98
 periodic, 27
 Robin
 see boundary conditions, third type
 third type, 67, 82, 84, 94, 98
 zero flux, 104

Boundary effects, 269
Boussinesq equation, 339
 analytical solution, 339, 352–353, 358–359,
 368–369, 371–374
 direct integration, 372
 Maple, 371, 373
 Riccati method, 373
 routines, 348
boundary conditions, 339
 Dirichlet, 342, 356, 361
 Neumann, 363
initial conditions, 339
 routines, 346–348
Jacobian matrix, 350
main program, 349
Maple procedure, 409
numerical solution, 351–354, 357–359,
 367–369
ODE routine, 339, 353, 359, 363
 vectorized, 343, 359, 360, 363
origin, 370
second order in t , 339
 first order system in t , 342
stagewise differentiation, 354, 356, 359, 362
 failure, 362
weights (for FDs), 350, 366
 u_{xxx7c} (for third derivative), 365
 u_{4x11p} (for fourth derivative), 340, 342–346,
 350–353
wavenumber, 372
wave speed, 372
Burgers–Fisher equation, 123
 analytical solution, 123, 125–130
 Maple, 132
 Tanh method, 130
boundary conditions, 123
generalized form, 128
Jacobian matrix, 128
ODE routine, 123
initial condition routine, 125
numerical solution, 126–127
stagewise differentiation, 127

- Burgers–Huxley equation, 111
 analytical solution, 111, 114, 117
 factorization, 118
 Maple, 120–121
 boundary conditions, 112
 generalized form, 118
 initial condition, 111
 routine, 113
 Jacobian matrix, 116
 numerical solution, 114–117
 ODE routine, 111
 wave velocity, 116, 120
- C**
- Cauchy problem, 3, 7
 Change of variable PDE, 2
 Characteristics, 33
 Chromatography, 33
 Computer algebra system (CAS), xii, 3, 391
 Conservation laws, 37
 Convection–diffusion–reaction equation, 57
 analytical solution, 58, 61–65
 routine, 61
 verification, 58
 boundary conditions, 58
 initial condition, 57
 routine, 60
 Jacobian matrix, 64
 nonlinear extension, 63
 numerical solution, 62–65
 ODE routine, 59
 Conservation principle, 104, 242
 Constraint, 20
 Coth method, 411
see also tanh method
 Cubic Klein–Gordon equation, *see*
 Klein–Gordon equation, cubic
- D**
- d’Alembert solution, 309
 Diffusion equation, 47, 67
 analytical solution, 48, 54
 verification, 48
 routine, 51
 boundary conditions, 48
 extension with reaction, 53
 initial conditions, 48
 routine, 50
 Jacobian matrix, 52–53
 main program, 52
 nonlinear
see nonlinear diffusion equation
 numerical solution, 54
 ODE routine, 48
 Diffusion induced chaos, 192
 Direct integration method, 2, 372, 429
 general concepts, 429
 Dirichlet boundary condition, 49
 Discontinuity, 20, 235–236
 Dispersion, 234, 236, 257
 Dissipation, 234, 236
 dss library, 19
 dss004, 16, 19, 25, 69, 78, 111, 123, 136, 149,
 174, 186, 197, 243, 263
 dss044, 49, 51, 59, 62, 277, 294, 296, 311–313,
 341–342, 365, 379
 dss008, 37, 38
- E**
- Euler equations, 33
 Eulerian coordinate, xii, 4, 261, 377
 exp method, 3, 195, 389, 391, 411
 applied to KdV, 412
 details of implementation, 412, 416
 general concepts, 411
 Maple procedure, 414
 Expansion methods, 3
 Exponential time differencing, 194
 Extended Bernoulli equation, 261–262, 272
 analytical solution (ODE), 261
 verification, 261
 analytical solution (PDE), 262, 268–269, 272
 Maple, 272
 routine, 264
 verification, 262
 boundary conditions, 264
 initial condition routine, 264
 Jacobian matrix, 267
 main program, 264
 numerical solution, 268–269
 ODE routine, 262
- F**
- Factorization method, 3, 106, 118, 141–145,
 179, 391, 430
 algorithm, 432
 applied to generalized Fisher equation, 433
 differential operator, 431

- factoring operators, 431–432
 - commutative, 431–432
 - general concepts, 430
 - FD (finite difference), 15
 - see also*, dss004, dss008, dss044
 - order, 19, 23–25, 35
 - first derivative, 16, 19, 24
 - four-point upwind, 27
 - second derivative, 16
 - two-point upwind, 23
 - u3x9p (for third derivative), 197–198, 201
 - exponential differentiation, 230–234
 - polynomial differentiation, 217–230
 - u5x11p (for fifth derivative), 197–199
 - polynomial differentiation, 230
 - Finite difference, *see* FD
 - Finite volume, 27, 37
 - Fisher–Kolmogorov equation, 135
 - analytical solution, 135, 138, 140–144
 - factorization, 141–145
 - Maple, 145–146
 - boundary conditions, 136, 138
 - initial condition routine, 137
 - Jacobian matrix, 142
 - main program, 138–139
 - numerical solution, 140–144
 - ODE routine, 135
 - stagewise differentiation, 136
 - wave velocity, 140–141
 - Fitzhugh–Nagumo equations, 147
 - analytical solution, 148, 155–163, 166–169
 - moving front, 160
 - routine, 150
 - boundary conditions, 149–150
 - dependent variables, 157, 165
 - excitation threshold, excitability, 165
 - initial condition routine, 149
 - Jacobian matrix, 154, 160
 - main program, 150
 - Maple
 - exp method, 170
 - tanh method, 166
 - numerical solution, 155–163
 - moving front, 160
 - ODE routine, 148
 - ODE version, 165
 - stagewise differentiation, 149
 - wavenumber, 164
 - wave velocity, 164
 - Flame propagation, 192
 - Fisher–KPP equation, *see* KPP
 - Flux limiter, 25, 37–38
 - Fornberg algorithm, 205
 - Fortran, 17
 - Fourier domain analysis, 193
- G**
- Gaussian function, 7, 18
 - Generalized Fisher equation, 433
 - factorization solution, 433
 - Global variables, 10
 - naming, 402, 429
 - Godunov barrier theorem, 24, 26
 - Group velocity, 407
- H**
- Heaviside function, 7, 29
 - Hirota bilinear forms, 436
 - Hodgkin–Huxley equation, 147, 164
 - h refinement, 32, 270
 - Hump soliton, 406
 - Hyperbolic Liouville equation, 275
 - analytical solution, 275, 285–287, 290
 - routines, 279
 - Riccati method, 288
 - transformations, 286, 288, 290
 - boundary conditions, 275
 - continuity, 289
 - initial conditions, 275, 290
 - routine, 278
 - Jacobian matrix, 283–284
 - main program, 279
 - Maple
 - rational solution, 286–287
 - transformation, 287, 290
 - numerical solution, 285–288
 - ODE routine, 275, 283
 - second order in t, 275
 - first order system in t, 277–279
 - wavenumber, 284
 - wave velocity, 284
 - Hyperbolic PDE, 33
 - Hyperbolic–parabolic PDE, 57
- I**
- Inhomogeneous PDE, 5
 - Initial condition, 5
 - Gaussian pulse, 18

Initial condition (*continued*)

square pulse, 20

Triangular pulse, 33–34, 36

Initial condition routine, 18

Initial value problem, 3

Integral constraint, 20, 104–106, 242

Invariant, 20, 104–106, 242

Inverse matrix operator, 243

Inverse scattering method, 436

J

Jacobian matrix, 13,

see also specific PDEs

banded, 15

map, 15, 17

pentadiagonal, 15–16

routine, 19

size, 15

sparse, 15

K

Kawahara equation, 197

analytical solution, 197, 207–213

routine, 200

boundary conditions, 198, 200

Fornberg algorithm, 205

initial condition, 199

routine, 199

Jacobian matrix, 207, 210

main program, 200

Maple, 237

numerical solution, 207–213

ODE routine, 197

small signal version, 236

weights (for FDs), 201–207

u3x9p (for third derivative), 197–198, 201

u5x11p (for fifth derivative), 197–199

KdV–Burgers equation, 436

solution by *TWSolutions*, 436

Klein–Gordon equation, 4, 309

analytical solution, 309, 319, 320, 323, 331,
333–335

Maple, 338

residual function, 323, 325–328

routine, 315–316, 321–322, 328

tanh method, 337

two forms, 310, 321, 322

verification, 309, 325–326

boundary conditions, 310

cubic, 309, 329–330

inhomogeneous, 326–328

initial condition routine, 314

Jacobian matrix, 317

linear wave equation, 309

main program, 316

Mth-order, 309

nonhomogeneous, 311, 326–328

numerical solution, 318–321, 324–327,
330–336

ODE routine, 310

quadratic, 309

second order in t, 309–313, 316

first order system in t, 310–313, 316

Kolmogorov–Petrovskii–Piskunov equation,
see KPPKorteweg–de Vries (KdV) equation, 234, 254,
370, 393–394, 412, 422

Maple solution, 406, 414

analytical solution, 394–397

KPP, 173

analytical solution, 173, 177–180

factorization, 179

Maple, 182

routine, 176

boundary conditions, 174

initial condition, 175

routine, 175

Jacobian matrix, 179

main program, 176

numerical solution, 177–180

ODE routine, 173

stagewise differentiation, 174

wave velocity, 177–179

Kuramoto–Sivashinsky equation, 185, 192

analytical solution, 185, 190–194

Maple, 194–195

routine, 188

boundary conditions, 185, 188

Dirichlet, 185

Neumann, 185, 189

exponential time differencing

fourier domain analysis, 193

initial condition routine, 187

Jacobian matrix, 192

main program, 189

numerical solution, 190–194

ODE routine, 185

spectral methods, 194

stagewise differentiation, 187
 wavenumber, 191
 wave velocity, 191

L

Lagrange multipliers,
see traveling wave methods
 Lagrangian coordinate, xii, 4, 139, 261, 377
 Lagrangian variable, 115, 164, 177, 191
 Level set method, 33
 Laboratory coordinates, 302, 304
 Lie group methods, 436
 Light-cone coordinates, 302, 304
 Limiter functions, 40–43
 Line soliton, 409

M

Malfliet's tanh method, *see* tanh method
 Maple, xii, 1
 exp method procedure, 414
 details of use, 416
 plotting, 401
 solution check, 401
 tanh method procedure, 397
 details of use, 399
 see also specific PDEs, TWSolutions
 Matlab, 1
 see also specific PDEs
 inverse matrix operator, 243
 vectorized, 17, 243, 341
 Method of characteristics, 33
 Method of lines, *see* MOL
 Mixed partial derivative, 239, 244, 245, 253
 FD approximation, 239–241
 Mixed-type PDE, 33, 239, 292, 302
 Modified wave equation, 377
 analytical solution (ODE), 377
 analytical solution (PDE), 377, 384–385
 exp method, 389
 Maple, 387
 Riccati method, 387
 routine, 382
 tanh method, 389
 verification, 378
 Boundary conditions, 380–381, 383, 386
 Eulerian coordinate, 377
 Initial condition, 381
 routine, 381
 Jacobian matrix, 383

Lagrangian coordinate, 377
 linear wave equation, 377
 main program, 382
 numerical solution, 384–386
 ODE routine, 378
 second order in t , 377, 379
 first order system in t , 379
 MOL (method of lines), xi, xiii, 1
 ODE routine, 13
 see also specific PDEs
 programming, 213–217
 stiffness, 251
 Moving coordinate, *see* Lagrangian coordinate
 Moving front, 153, 160
 Mth-order Klein–Gordon equation, *see*
 Klein–Gordon equation, mth-order
 MUSCL scheme, 37

N

Navier–Stokes equations, 254
 Nonhomogenous PDE, 5
 Nonlinear diffusion equation, 67
 analytical solution, 67, 78, 80, 86–92, 101–103
 Maple, 108–109
 routine, 72
 boundary conditions, 67
 Dirichlet, 67, 90
 nonlinear, 68, 84
 Neumann, 67, 69, 79, 87, 92
 analytical, 86, 101
 third type, 67, 69, 82, 84, 94, 98
 initial condition, 71
 routine, 71
 Jacobian matrix, 79
 linear form, 67
 main program, 73
 numerical solution, 78, 80, 83–103
 ODE routine, 67
 source terms, 67, 81, 83–84, 86, 88
 wavenumber, 67
 wave velocity, 67
 Nonlinear reaction-diffusion equation, 147,
 164
 Numerical diffusion, 24, 32
 Numerical oscillation, 24, 32
 Numerical solution
 ODE, 13
 computational efficiency, 14
 PDE, 1

O

- ode15s
 - sparse option, 13, 74, 76, 151, 265–266, 280
 - see also* specific PDE, main program
- ode45, 13, 151, 251, 265, 280
- Ordinary differential equation, *see* ODE
- ODE, 2
 - Jacobian matrix, 13
 - see also* specific PDEs
 - MOL routine, 9
 - see also* specific PDE, ODE routine
 - stiffness, 13
 - two-point boundary value, 96, 99

P

- Parabolic PDE, 33
- Partial differential equation, *see* PDE
- PDE (partial differential equation), xi, 1
 - analytical solution, 1
 - auxiliary conditions, 2
 - boundary conditions, 1
 - change of variable, 2
 - general form, 1
 - higher-dimensional, 3
 - hyperbolic, 33
 - initial conditions, 5
 - mixed type, 33, 239, 292, 302
 - multi-dimensional, 3
 - numerical solution, 1
 - parabolic, 33, 47
 - residual function method, 1
 - second order in t , 3, 275, 293
 - first order system in t , 277–279, 295
 - smooth solutions, 7, 24, 31–32
 - spatial derivatives, 1
 - traveling wave solution, 1
- Peakon, 305
- Peaked soliton, 307
- Periodic boundary condition, 27
 - ghost cell, 27
- Phase velocity, 235
- p refinement, 32, 270
- Procedural programming, 17
- Procedure, *see also* Maple
 - coupled PDEs, 404
 - solution check, 401
- Pseudo spectral method, 436
- Pulse, 20, 33, 36

Q

- Quadratic Klein–Gordon equation, *see* Klein–Gordon equation, quadratic

R

- Regularized long-wave equation, *see* RLW
- Residual function method, 1, 4, 323, 326
- Riccati method, 3, 195, 288, 373, 388, 391
 - applied to
 - KdV, 422, 427
 - ODE, 419
 - details of implementation, 422, 427
 - equation, 420–421
 - derivatives, 421
 - known solutions, 421
 - general concepts, 418
 - Maple procedure, 419, 424
- Riemann problem, 7, 25, 29
- RLW (regularized long-wave equation), 239
 - analytical solution, 239, 253–257
 - exp method, 259
 - Riccati method, 259
 - routine, 245
 - tanh method, 258
 - boundary conditions, 239
 - conservation principles, 242
 - initial conditions, 239
 - routine, 243
 - integral constraints, 242, 252
 - invariants, 242, 252
 - main program, 247
 - mixed partial derivative, 239, 253
 - numerical solution, 253–257
 - FD matrix approximation, 239–241, 250
 - ODE routine, 242

S

- Semidiscrete approximation, 39
- Shock, 235–236
- Simpson’s rule, 20, 104, 245, 252
- Sine–Gordon equation, 293
 - analytical solution, 293, 301–305
 - Routine, 298
 - antipeakon, 305
 - boundary conditions, 294–296
 - initial conditions, 293–294, 297
 - routine, 296–297
 - Jacobian matrix, 298–299
 - laboratory coordinates, 302, 304

- light-cone coordinates, 302, 304
 - main program, 298
 - Maple
 - tanh method, 305
 - mixed partial derivative, 302
 - numerical solution, 300–303
 - ODE routine, 294
 - peakon, 305
 - second order in t , 293
 - first order system in t , 295
 - solution sensitivity, 299
 - Solitary wave, 394
 - Soliton, 372, 394
 - hump, 406, 409
 - peak, 406
 - Source terms, 67
 - Spatial derivatives, 1
 - dss library, 19
 - FD approximation, 16
 - linear approximation, 24
 - nonlinear approximation, 25
 - Spatial domain, 18
 - see also* Boundary conditions, infinite domain
 - Spatial error, 270
 - balanced with temporal error, 270
 - Spectral methods, 194, 436
 - Stagewise differentiation, 112, 115, 124, 136, 149, 174, 187, 354, 356, 359
 - failure, 359–363
 - Stefan–Boltzmann law, 85
 - Stiffness, 13, 251
 - Superbee flux limiter, 25, 27, 41
 - numerical solution, 28, 30–32, 38–40
 - routine, 25
- T**
- tanh method, 3, 130, 258, 304, 337, 389, 391
 - applied to
 - Boussinesq eqns., 409
 - KdV, 399, 405
 - simultaneous (coupled) PDEs, 403
 - details of implementation, 394
 - extended form, 393
 - in higher dimensions, 407
 - Maple procedure, 397, 404, 408–410
 - Temporal error, 270
 - balanced with spatial error, 270
 - Total variation diminishing, *see* TVD
 - Traveling wave methods, 1–3
 - differential operators, 392–393, 407
 - general concepts, 392, 403, 407
 - Lagrange multipliers, 391, 412, 421
 - TVD, 37–38, 42
 - TWSolutions, 391
 - applied to KdV–Burgers equation, 436
 - details of implementation, 437
 - general features, 436
- U**
- Upwind approximation
 - four-point, 27
 - two-point, 23
 - uxxx7c (for third derivative), 365
 - u3x9p (for third derivative), 197–198, 201
 - exponential differentiation, 230–234
 - polynomial differentiation, 217–230
 - u4x11p (for fourth derivative), 340, 342–346, 350–353
 - u5x11p (for fifth derivative), 197–199
 - polynomial differentiation, 230
- V**
- van Leer flux limiter, 25, 27, 42
 - routine, 25
 - numerical solution, 25
- W**
- Water hammer, 33
 - Wave number, 2, 67, 164, 191, 235, 284, 372, 392, 407, 420, 430, 432
 - Wave envelope, 235
 - Wave equation, 309
 - Wave frequency, 407
 - Wave packet, 235
 - Wave speed, 372
 - Wave velocity, 2, 67, 116, 140–141, 164, 177–179, 191, 284, 392, 420, 432
 - Weighted essentially non-oscillatory, *see* WENO
 - weights (for FDs), 201–207
 - WENO, 33