

INDEX

A

- acidity, *see* pH
- acidification, 70, 124
- alkalinity, 81–82, 84, 90, 181
- analytical solution, *see* linear algebra
- anthropogenic emissions, 5, 12, 15, 17, 60–66, 122
- atmospheric CO₂, *see* CO₂

B

- bicarbonate (HCO_3^-), 8, 17, 19, 22, 32–34, 43–44, 46–50, 71–74, 79–81, 89, 181, 189–191, 194–196
- boron ($B(OH)_3$, $B(OH)_4^-$), 17, 19, 21–22, 24, 27, 32–34, 43–44, 46–50, 79–80, 181

C

- carbonate (CO_3^{2-}), 8, 17, 19, 22, 24, 32–34, 43–44, 46–50, 71–74, 79–81, 89, 181, 189–191, 194–196
- carbonic acid (H_2CO_3), 8, 19, 22, 24, 32–34, 43–44, 46–50, 71–74, 79–81, 89, 181, 189–191, 194–196
- calcium carbonate ($CaCO_3$), 4, 195
 - calcium ion concentration, 198–202
 - chemistry, 4, 195
 - coral, 202
 - dissolution, 195, 198–202, 207–208
 - shell animals, 202
 - solubility product, 80, 198–202, 207–208
 - supersaturation, 202, 207–208
- calculus, fundamental theorem, x

- carbon balances, x
 - characteristic equation, *see* linear algebra
 - chemistry, *see* ocean chemistry
 - clorinity, 80
 - climate change, ix
 - CO₂
 - Carbon Dioxide Information Analysis Center, 2, 131
 - comparison of model with observations, 125–130
 - decreased ocean uptake, 71, 74
 - dissolved, 71, 74, 80, 193, 203–206
 - dynamics, 3
 - effect of increasing atmospheric concentrations, ix, 183–185
 - emission rate, 6, 12, 15, 17, 21, 32–33, 35, 99, 123
 - function, 60–66, 99
 - plotting, 170
 - scenarios, 112–122, 196–197
 - flux, 10
 - increases, 183–186
 - long term records, 184
 - maximum level, 197
 - measurement, 2, 125–130, 184
 - mitigation, 198
 - molecular weight, 30
 - parts per million (ppm), *see* parts per million
 - prediction, 2
 - projection, 2, 183–186, 192
 - sources of information, 2, 131
 - water solubility, 80
- computer routines, 15

concentrations, 2
 units, 2
 coral, 202, *see also* calcium carbonate

D

deep ocean, x, 5–7, 12
 derivative routine, 53–54
 determinant, *see* linear algebra
 dimensional variables, *see* ODE model
 dimensionless variables, *see* ODE model
 dissolved CO_2 , *see* CO_2
 dissolved inorganic carbon (DIC, Tc),
 17, 22, 32–33, 36, 66–68, 203–206

E

Earth
 energy balance, 1
 temperature sensitivity, 4
 eigenvalues, *see* linear algebra
 emission rate, *see* CO_2 emission rate
 EPA, 131, 136
 equilibrium constants, 80–81
 temperature effects, 80,
see also, ODE model
 evasion factor, 17, 19, 22, 24, 32, 37,
 43, 47, 125, 203–206
 calculation, 206
 exercise problems, *see* CO_2 model

F

flooding, ix
 flux, 10
 fundamental theorem of calculus, x

G

gigatonnes, 7–8
 global warming, ix
 green house gases (GHGs), 1

H

heat waves, ix
 Henry's law constant (K_0), 81, 124,
see also evasion factor

hydrogen ion (H^+), 17, 22, 32–34,
 43–44, 46–50, 71–74, 79–82, 89,
 181, 188–189,
see also pH

I

integrating factor, 192
 interpolation, 18, 23, *see also* splines

L

Laplace transform, 192
 linear algebra of ODEs, 175–178
 analytical solution, 177–178, 192
 characteristic equation
 (determinant), 177–178
 eigenvalues, 177–178, 193
 homogeneous solution, 177
 matrix formulation, 176
 particular solution, 177
 stability, 177–178, 193
 linear interpolation, 18, 23, 38, 60–61,
 65
 logarithms, 1–2, 71, 85, 87, 202
 long-lived biota, x, 5–7
 lower atmosphere, x, 5–7, 10

M

marine biosphere, x, 5–7, 12
 mass transfer rate, 10
 mass units, 8, 30
 mathematical model, x
see also ODE model
 Matlab, x, 3
 availability, x
 ' (transpose), 28, 59–60
`abstol`, 21, 188
`break`, 87, 93
`clear all`, 20, 25
`figure`, 47
`for`, 21
`fprintf`, 21–22, 34
`function`, 46, 50
 arguments, 46, 50
 return values, 54

global, 20, 25–26, 46
 if, 47
 legend, 48–49
 odeset, 30, 188
 ode15s, 21

- arguments, 21
- options, 21
- return values, 21
- tolerances, 30, 188

 options, 30, 188
 plot, 47–51
 ppval, 37
 reltol, 21, 188
 spline, 96
 splines, 21, 37
 title, 47–51
 while, 93
 xlabel, 47–51
 ylabel, 47–51
 zeros, 23, 28
 Mauna Loa, 125–130, 184
 mean residence time, 9, 13, 75–76
 melting ice, 185
 microatmospheres, 7
 mixing time, 9, 13, 75–76
 molecular weight, 2, 8, 39

- air, 30
- CO_2 , 30

N

NCAR, 132, 136
 Newton's method, xi, 82–85, 92–94

- convergence, 85, 92–94, 188–189
- number of iterations, 84, 91, 188–189

 NOAA, 131–132, 136, 183

O

oceans

- acidity, *see* pH
- chemistry, 79–80
- chlorinity, 80
- decreased CO_2 uptake, 71, 74
- deep layer, *see* deep ocean
- pH, *see* pH

salinity, 80
 solubility product, 80, 198–202
 upper layer, *see* upper ocean layer
 warming, 193
 ODE model, 3

- carbon balances, x, 9–10
- case studies, 99, 112–121
 - graphical output, 122
- comparisons with observations, 125–130
- computational requirement, 125
- dependent variables, x, 5, 7, 52–58, 176
- derivative routine, 31, 52–60
- derivative vector, x, 9–10, 52–58, 176
- dimensional variables, 10, 16, 21–22, 28–29, 37, 173–175
- dimensionless variables, 7–8, 10, 172–173
- dynamics, 3
- emissions rate, 60–66, 123
 - scenarios, 112–123, 196–197
- equations, 7
- equilibrium condition, 10, 80
- equilibrium constants, 16, 20, 27, 80–81
 - sensitivity, 187–188, 193
- exercise problems, 187
 - introductory, 187
 - more advanced, 192
- forcing variable, 9
- graphical output, 19–20, 23–24, 40–41, 43–44, 70–71, 170
- initial condition, 9–10, 28
- integration, 3
- mass units, 8
- numerical output, 66–70
- parameters, 13
 - sensitivity, 187
- reaction rates, 80
- references, 135–37
- response variable, 9

 RHS terms, 123, 139–172

- numerical output, 163–166
- plotting, 160–161, 170

source term, 189
 structure, 5–6
 total carbon, 37, 83, 85, 89,
 203–205
 well mixed, 5, 79
 mean residence time, 9, 13,
 179–180
 mixing time, 9, 13, 179–180

P

parts per million (ppm), ix, 30, 70
 400 ppm milestone, ix, 70, 124,
 180, 183–186
 petagrams, 8
 pH, x–xi, 1–2, 4, 17, 24, 70, 124
 calculation, 82, 89, 181, 188–192
 calcium carbonate dissolution, 195
 polynomial factoring, 82, 181–182,
 188–189
 ppm, *see* parts per million

R

R (programming system), x, 3
 availability, x, 3
 <<-, 53, 59, 64, 96
 break, 85, 93
 c (vector), 43–44, 53, 59
 cat, 17, 34
 deSolve, 15, 25
 for, 17
 function, 43, 50
 arguments, 43, 50
 return values, 53
 if, 43–45
 lines, 44–46
 list, 53, 59
 main program, 15
 mfrow, 43–44
 ode, 16, 23
 arguments, 16, 23
 derivative routine, 53–54
 return values, 16, 23
 par, 43–44
 plot, 43–46, 51
 points, 44–46
 rep, 15, 26

return, 53, 59
 rm, 15, 25
 seq, 16, 28
 setwd, 15, 25
 source, 15, 25
 splinefun, 96
 splines, 15–16
 sprintf, 17–18, 34
 while, 92

references, 135–137

reservoirs, x
 carbon balances, x
 residence time, 9, 13, 75–76
 estimation, 179–180
 sensitivity, 187, 193
 Revelle factor, *see* evasion factor
 rising sea levels, ix

S

salinity, 80
 scenarios, 112–122, 196–197
 Scripps Institution, 183–186
 sea level rise, 185
 separation of variables, 192
 severe weather, ix
 shell animals, 202
 short-lived biota, x, 5–7, 11
 solubility product, 80, 198–199,
 207–208
 sources of information, 131
 spatial variations, 5, 79
 spline interpolation, xi, 83, 87–88, 95
 splines, 31, 37, 66, 83–97
 stability, *see* linear algebra
 stoichiometric equilibrium constants,
 see ODE model, equilibrium
 constants
 supersaturation, 202, 207–208

T

temperature maximum, 75, 197
 temperature sensitivity, 4, 19, 23, 38,
 40, 74–75, 80
 equilibrium constants, 193
 total carbon, *see* ODE model

U

upper atmosphere, x, 5–7, 9
upper ocean layer, x, 5–7, 11
uptake factor, 205–206

W

warming, global, ix, 75
water dissociation, 80–81

This page intentionally left blank

APPENDIX: THE COMPANION MEDIA PACK

The Companion Media Pack for this book is available from the website of World Scientific Publishing. The download process is described in Section A.1 below. The media pack contains the Matlab and R source files for the models used in this book.

In the event that adjustments need to be made to the Media Pack's contents, we intend to provide that information and, if necessary, access to updated versions of the projects. Information on updating may be found on the World Scientific website or may be obtained by Email to the third author at wes1@lehigh.edu

A.1 Downloading the Media Pack

Begin the download process of obtaining the Companion Media Pack by visiting <http://www.worldscientific.com/worldscibooks/10.1142/9516> and clicking on the 'Supplementary' tab. When you enter the site, you will be asked to login. If you have not previously registered on the World Scientific site, a simple (free) registration process will be required. Once you have successfully logged in and have reached the page for *An Introductory Global CO₂ Model*, select the 'Supplementary' tab. This tab contains a direct link to the Companion Media Pack. Clicking on the link will allow you to download the zipped file containing the source files provided by the authors. If, upon successful registration and login, you are redirected

to another page, you may use the URL shown above to return to the correct page.

If your computer automatically places downloaded files in a folder named “Downloads”, you will want to relocate the zipped file to a convenient permanent directory before unzipping.