

An Introductory
Global CO₂
Model

This page intentionally left blank

An Introductory Global CO₂ Model

with
Companion
Media
Pack

Anthony J McHugh

Lehigh University, USA

Graham W Griffiths

City University London, UK

William E Schiesser

Lehigh University, USA

 **World Scientific**

Published by

World Scientific Publishing Co. Pte. Ltd.

5 Toh Tuck Link, Singapore 596224

USA office: 27 Warren Street, Suite 401-402, Hackensack, NJ 07601

UK office: 57 Shelton Street, Covent Garden, London WC2H 9HE

Library of Congress Cataloging-in-Publication Data

McHugh, Anthony J.

An introductory global CO₂ model / Anthony J. McHugh (Lehigh University, USA), Graham W. Griffiths (City University London, UK) & William E. Schiesser (Lehigh University, USA).

pages cm

ISBN 978-9814663038

1. Atmospheric carbon dioxide--Mathematical models. 2. Atmospheric carbon dioxide--Climatic factors. 3. Atmospheric carbon dioxide--Environmental aspects. 4. Carbon dioxide--Environmental aspects. I. Griffiths, Graham W. II. Schiesser, W. E. III. Title. IV. Title: Introductory global carbon dioxide model.

QC879.8.M44 2015

551.51'12--dc23

2015009064

British Library Cataloguing-in-Publication Data

A catalogue record for this book is available from the British Library.

Copyright © 2016 by World Scientific Publishing Co. Pte. Ltd.

All rights reserved. This book, or parts thereof, may not be reproduced in any form or by any means, electronic or mechanical, including photocopying, recording or any information storage and retrieval system now known or to be invented, without written permission from the publisher.

For photocopying of material in this volume, please pay a copying fee through the Copyright Clearance Center, Inc., 222 Rosewood Drive, Danvers, MA 01923, USA. In this case permission to photocopy is not required from the publisher.

In-house Editors: Prathima/Amanda Yun

Typeset by Stallion Press

Email: enquires@stallionpress.com

Printed in Singapore

To Svante Arrhenius and Charles Keeling

This page intentionally left blank

CONTENTS

<i>Preface</i>	ix
1. Introduction	1
2. Model Structure	5
3. Model Equations	7
4. Model Parameters	13
5. Computer Routines	15
5.1. Main Programs	15
5.2. Plotting Routines	43
5.3. ODE Routines	52
5.4. Emissions Rate Routines	60
5.5. Base Case Model Output	66
6. Ocean Chemistry	79
7. Model Case Studies	99
7.1. Emission Rate Multiple Cases	99
7.2. Comparison with Observational Data	125
8. Sources of Information	131
9. Summary and Conclusions	133
References	135

Appendix A: Calculation of ODE Terms	139
Appendix B: Additional Analysis of the Model ODEs	173
B1. Some Features of the ODE Model	173
B2. Linear Algebra	175
B3. Estimation of Residence Times	179
Appendix C: Calculation of pH	181
Appendix D: <i>New York Times</i> , 10 May 2013 — Announcement of 400 ppm Global CO_2 Concentration	183
Appendix E: Exercise Problems	187
E1. Introductory Exercises	187
E2. More Advanced Exercises	192
<i>Index</i>	211
<i>Appendix: The Companion Media Pack</i>	217

PREFACE

The consequences of rising concentrations of atmospheric CO_2 are receiving increased attention in the news media as a major contributor to extreme climate change and global warming. For example, from the *New York Times* [12] and restated in Appendix D of this book:

“Scientific monitors reported that the gas (CO_2) had reached an average daily level that surpassed 400 parts per million (ppm) — just an odometer moment in one sense, but also a sobering reminder that decades of efforts to bring human-produced emissions under control are faltering. The best available evidence suggests the amount of the gas in the air has not been this high for at least three million years, before humans evolved, and scientists believe the rise portends large changes in the climate and the level of the sea.”

And from [14], “Climate-related disasters around the world (include): hurricanes and tornadoes, droughts and wildfires, extreme heat waves and equally extreme cold, rising sea levels and floods. Even when people have doubts about the causal relationship of global warming to these episodes, they cannot help being psychologically affected. Of great importance is the growing recognition that the danger encompasses the entire earth and its inhabitants. We are all vulnerable.”

However, the CO_2 problem is not well understood quantitatively by a general audience. Although some measures of atmospheric CO_2 accumulation have been reported such as the 400 ppm from the 10 May 2013 *New York Times* noted above, other measures are less well understood, e.g., the increasing rate of CO_2 emissions, the movement of carbon to and from other parts of Earth’s environmental system, particularly the oceans with accompanying acidification.

A mathematical model can be particularly informative and helpful for understanding what is happening. We therefore present an introductory global CO_2 model that gives some key numbers, for example, atmospheric CO_2 concentration in ppm and ocean pH as a function of time for the calendar years 1850 (preindustrial) to 2100 (a modest projection into the future).

The model is based on just seven ordinary differential equations (ODEs) and is therefore intended as an introduction to some basic concepts and as a starting point for more detailed studies. The ODEs are carbon balances for seven reservoirs: upper atmosphere, lower atmosphere, long-lived biota, short-lived biota, ocean upper layer, ocean deep layer and marine biosphere.

Basic calculus is the only required mathematical background, e.g., derivatives and integration, so that the model is accessible to high school students as well as beginning college and university students. Specifically, the ODEs define derivatives of the form dy/dt where y is a dimensionless reservoir carbon concentration and t is time as a calendar year over the interval $1850 \leq t \leq 2100$. The ODEs are integrated numerically to give $y(t)$. The solutions are presented numerically and graphically. The essential mathematical concepts are embedded in the fundamental theorem of calculus:

$$\int_{t_0}^t (dy/dt) dt = y(t) - y(t_0),$$

where $t_0 = 1850$ and $y(t_0)$ is the ODE initial condition (IC). The integration is carried out numerically by library initial-value ODE integrators.

Some background in computer programming would also be helpful, but not essential. The programming of the model is in R¹ and Matlab,² two basic, widely used scientific programming systems. Thus, it can be executed on modest computers and is generally

¹R is an open source scientific programming system that can be downloaded (no cost) from the Internet.

²Matlab is a commercial product available from the Mathworks, Natick, MA. Octave is an open source (no cost) alternative that will run the Matlab code with minimal changes.

accessible and usable worldwide. The book could also be used by readers interested in Matlab and/or R programming or a translation of one to the other. This additional use is facilitated by a side-by-side format of sections of R and Matlab code with a comparison of the two.

The model includes ocean chemistry calculations that address acidification with ocean pH as an output, typically ranging from 8.2 to 7.8 (pH decreases with increasing acidity). These calculations illustrate some basic numerical procedures, such as a Newton solver applied to a fourth-order polynomial to calculate ocean pH and spline interpolation to provide additional model outputs. The problem of acidification has important implications for a major food source, deterioration of coral and the associated marine life, as well as ocean CO_2 uptake [9].

A basic global warming component has been added based on CO_2 buildup in the lower atmosphere but since climate change (e.g., warming) is still a controversial and uncertain area, the primary focus is on carbon buildup in the atmosphere and oceans which is being measured quantitatively and is therefore undisputed.

Our intention is to provide a quantitative introduction to the CO_2 problem so that the model is basic and educational, and is not a state-of-the-art research model. We hope that the model serves this educational purpose, and we welcome comments, questions about model implementation and use, and suggestions for improvements (directed to wes1@lehigh.edu).

Anthony J. McHugh
Graham W. Griffiths
William E. Schiesser
London, UK
and
Bethlehem, PA, USA
July 1, 2015